



FOR IMMEDIATE RELEASE

MORE HIGH SILVER VALUES SHOWN AS ATON RESOURCES RETURNS 60.80 METRES OF 1.20 G/T GOLD EQUIVALENT, INCLUDING 20.13M OF 1.38 G/T GOLD AND 45.46 G/T SILVER, AT HAMAMA WEST

September 6, 2016: Aton Resources Inc. (TSX-V: AAN) (the “Company”) is very pleased to report results for six diamond drill holes in the current drill campaign at Hamama. Aton has drilled 38 holes totalling 3428.20 metres to date this year at Hamama West, one of three zones that comprise Hamama, found within the Company’s Abu Marawat Concession, and located in Egypt.

Highlights:

- Drill hole AHA-066 encountered 45.20 metres at 1.04 g/t Gold Equivalent (AuEq), starting from 56.10 metres depth.
- Drill hole AHA-068 encountered 60.80 metres at 1.20 g/t AuEq, starting from 12.2 metres depth.
- Drill hole AHA-072 was drilled to a depth of 268 metres and encountered several mineralised zones, including 1m @ 167 g/t Ag.
- The deepest holes on both fences (AHA-062 and AHA-072) prove mineralisation remains open down-dip.
- Drill holes AHA-062, AHA-063, AHA-064, AHA-066, AHA-068 and AHA-072 were drilled as part of two planned fences to give maximum information on continuity and grade of the target horizon.
- In figure 2 of Section 1, AHA-062, AHA-063 and AHA-064 intersected a fault zone, which has displaced mineralisation. AHA-062 and AHA-063 demonstrated the continuity of the target horizon below this fault.
- Drill holes AHA-066, AHA-068 and AHA-072 encountered strong Au and Ag mineralisation in the mineralised horizon. AHA-066 and AHA-072 also encountered mineralisation in the footwall. This footwall mineralisation consists of ankerite-sulphide stockwork and feeder veins that stratigraphically underlie the main mineralised horizon.
- In AHA-068 an impressive 73 metres of mineralisation incorporated several higher-grade zones (tables 1 and 2). A similar grade zonation was encountered in the previously announced results from AHA-059 and AHA-060.
- AHA-072 encountered the main target horizon as expected, leaving mineralisation open down-dip to a true depth of at least 180 m from surface.

Mark Campbell, Chief Executive Officer of Aton Resources stated “We are very excited with these results from Hamama West that are continuing to confirm the potential of both the near surface enriched Gold-Oxide Cap and the deeper sulphide mineralization to host a significant resource. The abundant quantities of gold, silver and zinc, which have been seen throughout the Western Zone, are a hallmark of this polymetallic deposit. These holes show extensive mineralization confirming our last results and prove that underneath the fault the displaced exhalite mineralization continues. These results move us one step closer to achieving our goal of declaring a commercial discovery and building a mine at Hamama.”

TABLE 1: Intersections using a cut-off grade of 0.5 g/t Au. Gold equivalent (AuEq) was calculated using the 12-month trailing average prices of Au and Ag as of August 28, 2016. The values used were \$1,219.75/troy oz. for Au and \$16.54/troy oz. for Ag. A ratio of 73.75 Ag:Au was used to convert grams of Ag to grams of Au.

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
AHA-062	63	65	2.00	1.07	10.46	1.21
and	85.3	93.67	8.37	1.72	29.28	2.12
AHA-063	45	48.95	3.95	1.12	23.45	1.44
AHA-066	56.1	101.3	45.20	0.69	25.73	1.04
and	108.15	128.28	20.13	1.38	45.46	2.00
AHA-068	13.3	63	49.70	0.9	29.05	1.29
and	67	73	6.00	1.01	16.89	1.24
AHA-072	111	112	1	1.02	167.00	3.28
and	124.6	125.7	1.13	3.94	163.00	6.15
and	195.7	201	5.30	0.53	26.98	0.90
and	205.04	215.18	10.14	0.99	36.84	1.49
and	225.03	236	10.97	1.25	36.39	1.74

TABLE 2: Intersections at 0.25 g/t Au cut-off grade.

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)
AHA-062	63	66	3.00	0.82	9.87	0.95
and	85.3	93.67	8.37	1.72	29.28	2.12
AHA-063	45	48.95	3.95	1.12	23.45	1.44
AHA-066	23	28.2	5.20	0.45	55.59	1.20
and	56.1	102.5	46.40	0.68	25.32	1.02
and	108.15	128.28	20.13	1.38	45.46	2.00
AHA-068	12.2	73	60.80	0.85	25.86	1.20
AHA-072	108.93	112	3.07	0.49	68.41	1.42
and	124.6	126.83	2.23	2.13	101.99	3.51
and	180	183	3.00	0.45	18	0.69
and	195.7	215.18	19.48	0.7	29.81	1.10
and	221.17	236	14.83	1.02	32.04	1.45

and	240	247.67	7.67	0.57	13.1	0.75
-----	-----	--------	------	------	------	------

- High silver values are a feature of this deposit and are evident in the results above. Research into this aspect and the relationship with other metals is planned in the near future.
- Note: In AHA-062, there is a near surface enrichment of zinc, from 0 to 16 meters at 4422 ppm (= 0.44% Zn), above a general background of 150 to 400 ppm. Similarly, Cu and Pb are generally less than 100 ppm with a few spot highs to 1930 ppm Pb and 630 ppm Cu. There are deeper occurrences of elevated zinc values in the primary zone as well. Within the gold intersection in AHA-62 at 87 to 93.67 m (5.67 m) zinc values average 1511 ppm (0.15%).
- In AHA-066, there are separate near surface zones enriched in silver and zinc, from 0.8 to 30.4 meters at 28.47 g/t Ag, and from 29 to 38.7 meters at 1.85% Zn, 0.35% Cu and 0.14% Pb.
- In AHA-068, there is a zone enriched in zinc from the surface to the base of oxidation. From 1.2 to 23.3 m is 22.1 m grading 0.28% zinc. Part of this length, 12.2 to 23.3 (11.1 m), is within the auriferous intersection seen in the tables above. This 11 meters averages 0.36% Zn. The part of the interval above the gold intersection (1.2 to 12.2 = 11 m) averages 2717 ppm (0.27% Zn) and is within the zone of complete oxidation.

The location of these drill holes is shown in Figure 1, and on Section 1 and Section 2 (figures 2 and 3). These sections are part of an integrated set of cross sections ("fences") of drill holes designed to intersect the target horizon and to follow it both down dip and along strike. Intersection spacing between holes and sections was optimised for the forthcoming resource calculation.




Figure 1. Geological map of western Hamama West showing drill holes AHA-062 and AHA-068.

Figure 2 shows that a fault truncated the target horizon in hole AHA-064. Importantly, the intercept in AHA-062 shows that the mineralised horizon beneath the fault zone not only continues, but potentially increases in thickness at depth.

Drill hole AHA-062 encountered three distinct zones of mineralisation toward the upper contact of the main horizon, including 8.37 m containing 1.72 g/t Au & 29.3 g/t Ag from 85.3 to 93.67 m.




Figure 2: Cross section showing mineralised intervals and structural truncation of mineralisation. The intercept in hole AHA-035 (3.3 m at 3.218 g/t AuEq containing 2.96 g/t Au and 18.75 g/t Ag) was also reduced in thickness by this fault.

Section 2 (Figure 3) shows the impressive extent of the mineralised zone and the continuity of the mineralised horizon down dip. Drill hole AHA-068 intersected 60.8 m at 0.85 g/t Au & 25.86 g/t Ag from 12.2 to 73 m, and incorporated two higher grade intersections up to 49.7 metres thick (@ 0.90 g/t Au & 29.05 g/t Ag from 13.3 to 63 m). Elevated silver values are a feature at Hamama West, and in the recent intersections, assays of up to 167 g/t Ag (AHA-072, 111 to 112 m) are reported. Section 2 also demonstrates that the thick mineralisation in hole AHA-068 continues above, to hole AHA-029 (43 m @ 0.697 AuEq containing 0.46 g/t Au and 17.18 g/t Ag). Drill hole AHA-029 was drilled during a previous drilling campaign.

AHA-066, AHA-068 and AHA-072 confirm that the mineralisation occurs not only in the target horizon, but also in the altered andesites of the immediate stratigraphic footwall. This feeder zone, consisting of ankerite-sulphide stockwork and veinlets, is another potential ore zone. Hole AHA-066 encountered a thicker intersection of the target horizon down dip from AHA-068. The thicker mineralised horizon may be partially attributable to repetitive faulting. Ongoing geological modelling aims to explain this in the near future. Mineralisation in AHA-072 contains the highest individual silver assay in this news release (1m @ 167 g/t Ag, from 111 to 112 metres), and shows that mineralisation is open down-dip.




Figure 3: Section 2, showing selected intervals for AHA-066, AHA-068 and AHA-072.

INFORMATION CONCERNING HAMAMA VMS PROJECT



The Hamama project lies within a belt of mineralisation with old mines that extend east-northeasterly for 40 km across Aton Resources' Abu Marawat Concession. The Main Horizon at Hamama has a strike length of some 3 km but extensions along the same stratigraphic horizon extend this to about 4 ½ km. This stratigraphic horizon needs exploration to search for more occurrences. The Hamama mineralised horizon is divided into three main zones; Hamama West, Hamama Central and Hamama East. Mineralisation at Hamama outcrops at surface, and at Hamama West is deeply weathered into a soft and friable oxidized blanket referred to as the Gold-Oxide Cap, which extends over 900 m in strike length and has an average vertical depth of 35 m. Apart from the intersections announced herein, drill results in oxide at Hamama West include 37 m at 2.32 g/t Au and 107.1 g/t Ag in AHA-015, 32.6 m at 1.37 g/t Au and 56.4 g/t Ag in AHA-037 and 19 m at 2.46 g/t Au and 157.3 g/t Ag in AHA-046. Preliminary metallurgical (bottle-roll) test results on the Gold-Oxide Cap returned up to 92.2% Au and 65% Ag recovery by cyanide leach from oxide (see January 13, 2015 News Release).

Primary sulphide mineralisation at Hamama West returned such intercepts as 48 m at 1.45 g/t Au and 31.8 g/t Ag in AHA-023 and 88 m at 1.11 g/t Au and 118 g/t Ag in AHA-031 (see News Release dates May 12, 2015). The last drill hole from the 2015 drilling program, AHA-058, was entirely mineralised, from surface to 210 m depth, and includes 39 m at 1.64% Zn, 0.25 g/t Au and 25.7 g/t Ag (53 m to 92 m), 12.3 m at 2.49% Zn, 0.29% Cu, 0.26 g/t Au and 41.4 g/t Ag (92 m to 104.3 m), 43.5 m at 3.70% Zn, 0.23% Cu, 2.61 g/t Au and 150 g/t Ag (112.5 m to 156 m) and 50.7 m at 0.69 g/t Au and 29.7 g/t Ag (160 m to 210.7 m). These elevated zinc and silver values will be studied further in the near future.

About Aton Resources Inc.:

Aton Resources Inc. (**TSX-V:AAN**) is exploring potentially economic gold, silver and base metal deposits in the Central Eastern Desert of Egypt with the aim of developing mines. The Company's 100% owned concessions; Abu Marawat and Fatiri, cover 2,772 km² between them, much of it under-explored. Evidence of gold and copper mining in the concessions dates the many surface workings to pre-historic possibly Old Kingdom through Ptolemaic, Roman and Early Arab times. Three historic gold mines occur within the two concessions: British miners produced gold at Sir Bakis, Semna and Abu Zawal into the 1920s.

Much of the gold vein mineralisation in the district is orogenic related, quartz-carbonate type and is associated with major shear zones. Centamin's Sukari gold mine is located 400 km to the south of Abu Marawat, in the same belt. The Abu Marawat and Fatiri Concessions cover a Proterozoic Pan-African greenstone belt. This is part of the Arabian-Nubian Shield that also occurs in Saudi Arabia, Sudan, Eritrea and Ethiopia. Significant VMS deposits in this belt includes Jabal Sayid (Saudi Arabia); Bisha Main and Harena (Eritrea); Hassai, plus Hadal Awatib (Sudan) and Emba Derho, Debarwa plus Adi Nefas (Eritrea). Alexander Nubia's Hamama gold-silver VMS is geologically similar to these VMS deposits. Similar geological settings to the Arabian-Nubian Shield include the greenstone belts of the Yilgarn (Western Australia), Abitibi (Quebec) and Birimian (West Africa). The Arabian-Nubian Shield is most similar in age to the latter.

The Company's land package, located 350-400 km southeast of Cairo, includes excellent infrastructure. Hamama has direct access to two four-lane highways, a low-gradient railway bed that runs through Abu Marawat concession to a Red Sea port, multiple high-voltage (capacity 220 kV) power lines that cross between the two concessions, a water pipeline and nearby major cities. The latter include Qena, on the Nile 70 km to the west and the Port of Safaga, on the Red Sea, 50 km to the east. The city of Luxor, a two-hour drive from Hamama, has an international airport.



Qualifying Person:

The technical information contained in this News Release was prepared by Roderick Cavaney BSc, MSc (hons), MSc (Mining & Exploration Geology), AusIMM (f), SEG, GSA, SME, Exploration Manager for Aton Resources Inc. Mr. Cavaney is a qualified person (QP) under National Instrument 43-101 Standards of Disclosure for Mineral Projects.

For more information on Aton Resources Inc., visit us at www.atonresources.com or please contact:

Mark Campbell
President and Chief Executive Officer
Aton Resources Inc.
Tel: +1-936-689-2589
Email: mcampbell@atonresources.com

Cautionary Note Regarding Forward-Looking Statements

The securities of Aton Resources Inc. described herein have not been and will not be registered under the United States Securities Act of 1933, as amended (the "U.S. Securities Act") or any state securities laws and may not be offered or sold within the United States or to U.S. persons unless registered under the U.S. Securities Act and applicable state securities laws or an exemption from such registration is available. Some of the statements contained in this release are forward-looking statements, such as estimates and statements that describe the Company's future plans, objectives or goals, including words to the effect that the Company or management expects a stated condition or result to occur. Since forward-looking statements address future events and conditions; by their very nature they involve inherent risks and uncertainties. Actual results in each case could differ materially from those currently anticipated in such statements. Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release

APPENDICES

AHA-062 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
0	1.3	1.3	0.084	0.5	241	25	5250
1.3	2.2	0.9	0.029	0.1	168	17	4310
2.2	2.8	0.6	0.013	0.2	298	45	7230
2.8	3.7	0.9	0.035	0.3	406	72	7120
3.7	4.8	1.1	0.009	0.5	148	51	4330
4.8	5.4	0.6	0.006	0.5	43	71	3510
5.4	6.4	1	0.01	0.6	92	85	4520
6.4	7.1	0.7	0.0025	0.6	68	41	8160
7.1	8.5	1.4	0.0025	0.7	124	61	5280
8.5	9.4	0.9	0.01	0.8	94	44	3350
9.4	10.3	0.9	0.0025	0.5	83	24	3880
10.3	11.2	0.9	0.0025	0.8	54	69	1830
11.2	12.2	1	0.0025	1.1	167	518	2820
12.2	13.8	1.6	0.031	2.2	463	734	3650
13.8	14.7	0.9	0.0025	1.2	48	327	3020
14.7	15.4	0.7	0.0025	1.3	107	211	2960
15.4	16	0.6	0.0025	0.8	146	134	5340
21.5	22.3	0.8	0.023	0.3	211	167	807
41.7	42.7	1	0.019	1.3	223	138	1110
42.7	43.7	1	0.0025	0.5	39	58	256
43.7	44.7	1	0.0025	0.4	18	34	146
44.7	46	1.3	0.009	0.4	31	20	166
46	47	1	0.017	0.6	11	28	119
47	48	1	0.021	0.6	8	24	181
48	49	1	0.0025	0.4	11	31	178
49	50	1	0.0025	0.4	13	36	139
50	51	1	0.0025	0.5	58	106	246
51	52	1	0.233	9.2	610	1930	3200
52	53	1	0.015	2	137	913	1410
53	54	1	0.014	1.5	100	1060	1060
54	55	1	0.012	0.7	52	364	677
55	56	1	0.023	0.6	20	52	252
56	56.7	0.7	0.086	1.1	51	141	511
56.7	57.7	1	0.093	2	85	180	811
57.7	58.91	1.21	0.011	0.9	39	138	631
58.91	60	1.09	0.047	1.1	21	37	68

AHA-062 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
60	61	1	0.237	1.7	23	39	140
61	62	1	0.076	1.8	35	33	164
62	63	1	0.12	1.9	14	26	91
63	64.02	1.02	1.11	10.7	75	67	168
64.02	65	0.98	1.02	10.2	57	54	153
65	66	1	0.332	8.7	66	45	97
66	67	1	0.159	6.9	93	63	195
67	68	1	0.079	3	43	26	79
68	69	1	0.124	4.1	29	28	73
69	70	1	0.158	3.5	34	29	94
70	71.04	1.04	0.077	2.6	22	27	65
71.04	72.08	1.04	0.013	1.7	25	23	78
72.08	72.6	0.52	0.052	8.6	10	40	60
72.6	73.13	0.53	0.017	0.9	11	12	58
73.13	74	0.87	0.353	15.9	34	58	162
74	74.94	0.94	0.344	30.1	42	50	139
74.94	76	1.06	0.174	8.4	15	24	71
76	77.22	1.22	0.245	5.1	11	19	66
77.22	78	0.78	0.147	6.4	17	33	104
78	79	1	0.464	8.8	15	41	113
79	80	1	0.081	2.3	13	33	72
80	81	1	0.093	1.8	12	44	93
81	82	1	0.108	0.8	9	23	68
82	83	1	0.009	0.8	10	32	86
83	84.2	1.2	0.09	1.5	11	77	157
84.2	85.3	1.1	0.082	7.9	57	177	431
85.3	86	0.7	0.69	12	161	317	658
86	87	1	0.865	21.2	167	499	791
87	88	1	1.145	29	221	705	1725
88	89	1	2.03	46.4	277	711	1805
89	90	1	4.09	52.6	273	859	1270
90	91	1	1.71	26.2	264	808	999
91	92	1	1.455	27.8	288	534	756
92	93	1	1.905	22.2	253	542	876
93	93.67	0.67	1.055	16.8	260	585	1140
93.67	94.89	1.22	0.233	5.6	89	191	580

AHA-063 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
1.6	2.6	1	0.013	0.50	213	33	1710
2.6	3.6	1	0.016	0.50	221	22	2350
3.6	4.6	1	0.012	0.30	223	47	2030
4.6	5.6	1	0.016	0.40	341	78	3500
5.6	6.6	1	0.014	0.30	248	66	3190
6.6	7.6	1	0.011	0.30	157	53	3000
7.6	8.6	1	0.01	0.20	215	29	3770
8.6	9.6	1	0.008	0.40	165	85	1860
9.6	10.6	1	0.009	0.40	101	50	2090
10.6	12	1.4	0.009	0.30	57	46	1610
12	13	1	0.011	0.70	110	215	3920
13	13.85	0.85	0.01	0.70	258	269	3610
13.85	14.85	1	0.011	0.70	152	220	3840
14.85	16	1.15	0.007	0.70	117	23	4730
16	17	1	0.006	1.00	41	52	3180
17	17.8	0.8	0.017	2.00	125	68	3670
17.8	18.8	1	0.008	2.80	161	43	3070
18.8	20	1.2	0.0025	2.70	793	55	3010
20	21	1	0.006	1.90	53	26	678
21	22	1	0.007	4.90	267	55	1945
22	23	1	0.006	6.20	169	33	1750
23	24	1	0.008	6.60	357	214	3300
24	25.3	1.3	0.01	7.20	167	358	3400
25.3	26.15	0.85	0.017	5.30	126	151	3070
26.15	27	0.85	0.01	4.90	217	236	4740
27	28	1	0.008	6.90	102	172	1480
28	29	1	0.01	5.70	103	190	3470
29	30	1	0.028	2.70	228	465	4950
30	31	1	0.015	2.80	16	48	1030
31	31.8	0.8	0.007	2.30	34	27	2020
31.8	32.8	1	0.007	2.60	29	76	1335
32.8	33.8	1	0.008	2.30	19	285	1300
33.8	34.8	1	0.008	4.70	8	35	1635
34.8	35.8	1	0.013	3.00	10	39	1495
35.8	36.8	1	0.006	2.30	8	19	998
36.8	37.8	1	0.014	2.00	113	139	1375
37.8	38.8	1	0.01	1.60	14	51	2770
38.8	39.8	1	0.016	2.60	82	314	2630

AHA-063 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
39.8	41	1.2	0.019	2.20	70	336	1550
41	42	1	0.009	2.20	216	306	2510
42	43	1	0.025	3.40	116	492	1675
43	44	1	0.037	5.80	394	1070	1600
44	45	1	0.052	2.90	389	645	2340
45	46	1	0.57	14.00	78	174	458
46	47	1	1.365	29.00	150	392	644
47	48	1	0.945	27.00	276	385	859
48	48.95	0.95	1.645	23.80	155	194	469
48.95	50	1.05	0.063	2.10	61	43	292
50	51.75	1.75	0.064	1.80	61	64	315

AHA-064 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
0	1.9	1.9	0.015	0.30	396	29	3250
1.9	2.9	1	0.014	0.30	337	21	2410
2.9	3.9	1	0.012	0.30	424	28	3650
3.9	4.9	1	0.009	0.40	677	30	2500
4.9	5.9	1	0.009	0.60	529	42	2600
5.9	6.9	1	0.0025	0.30	448	28	1085
6.9	7.9	1	0.01	1.50	1440	177	1435
7.9	8.9	1	0.009	3.50	1350	491	1220
8.9	9.9	1	0.009	2.80	1240	794	1220
9.9	10.9	1	0.01	1.00	954	358	784
10.9	11.9	1	0.008	1.00	682	277	1230
11.9	13	1.1	0.012	1.00	186	396	1200
13	14	1	0.019	1.40	645	799	1355
14	15.3	1.3	0.006	0.60	530	126	1560
15.3	16.6	1.3	0.017	1.00	369	559	1990
16.6	17.85	1.25	0.006	0.50	205	349	1525
17.85	19	1.15	0.01	0.80	373	433	3880
19	20.15	1.15	0.0025	0.40	115	102	1425
20.15	21.3	1.15	0.01	0.90	512	376	2300
21.3	22.3	1	0.012	1.30	718	966	1235
22.3	23.4	1.1	0.02	1.00	410	211	2340
23.4	24.4	1	0.02	1.80	527	534	7870
24.4	25.4	1	0.012	0.90	93	131	11200
25.4	26.3	0.9	0.032	1.00	80	38	2530

AHA-064 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
26.3	27	0.7	0.033	0.80	60	47	2050
27	28.2	1.2	0.019	0.20	84	18	1475
28.2	29	0.8	0.041	0.40	168	26	3880
29	30	1	0.0025	0.10	101	15	2480
30	31.2	1.2	0.0025	0.10	50	18	690

AHA-066 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
0.8	2.3	1.5	0.194	31.2	1685	2520	2700
4.6	6.4	1.8	0.306	15.8	728	2040	6730
6.4	7.4	1	0.161	17.2	638	1580	3000
7.4	8.8	1.4	0.172	21.9	820	2270	2840
8.8	9.6	0.8	0.081	34	784	1295	3390
9.6	10.2	0.6	0.075	13.4	544	335	1650
10.2	10.8	0.6	0.031	11.8	517	116	1410
10.8	11.4	0.6	0.056	6.5	530	86	1845
11.4	12.5	1.1	0.19	5.6	339	108	683
12.5	13	0.5	0.043	9.8	507	90	886
13	14	1	0.092	19.3	361	229	490
14	14.9	0.9	0.18	21.2	408	371	454
14.9	15.25	0.35	0.304	66	746	4270	911
15.25	16.2	0.95	0.036	10.4	865	208	867
16.2	17	0.8	0.182	19.3	737	1200	1025
17	18	1	0.097	10.8	396	682	803
18	19	1	0.196	40	195	1080	348
19	20	1	0.197	21.7	178	423	337
20	21	1	0.185	25.2	308	270	394
21	22	1	0.158	34.2	302	657	325
22	23	1	0.221	39.4	360	570	501
23	24	1	0.296	59.4	320	832	975
24	25	1	0.319	44.7	345	1235	819
25	26	1	0.314	71.7	437	1640	548
26	27	1	0.325	63.7	485	2930	602
27	28.2	1.2	0.911	41.3	419	843	558
28.2	29	0.8	0.173	6.2	650	643	613
29	29.5	0.5	0.047	4.3	4610	2360	8300
29.5	30.4	0.9	0.075	47.3	3500	4500	4940
30.4	31.4	1	0.04	2.6	4760	2120	9930

AHA-066 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
31.4	32.5	1.1	0.018	2.5	11910	2470	29400
32.5	33.5	1	0.015	0.9	3630	110	27500
33.5	34.5	1	0.03	1	3440	180	40300
34.5	35.3	0.8	0.019	2.6	431	198	13400
35.3	36.1	0.8	0.03	6.9	955	962	33300
36.1	36.9	0.8	0.037	5.7	1235	1545	15000
36.9	37.7	0.8	0.034	2.4	561	354	7840
37.7	38.7	1	0.019	2	556	710	5040
38.7	39.7	1	0.024	0.6	28	50	535
39.7	40.7	1	0.018	0.5	20	42	314
40.7	41.7	1	0.068	1.4	34	167	332
41.7	43.09	1.39	0.108	3.1	168	714	1610
43.09	44.55	1.46	0.076	1.6	37	92	384
44.55	46	1.45	0.066	2.1	260	405	2790
46	47	1	0.109	3.7	1610	533	32700
47	48	1	0.026	0.8	44	220	796
48	49.03	1.03	0.01	0.3	19	331	636
49.03	50.3	1.27	0.022	0.5	19	100	293
50.3	51.4	1.1	0.167	3.3	269	1070	1795
51.4	52.4	1	0.127	2.2	66	133	696
52.4	53.32	0.92	0.07	2.8	273	425	3420
53.32	54.4	1.08	0.107	6.5	702	2330	15700
54.4	55.4	1	0.151	12.8	530	3960	5820
55.4	56.1	0.7	0.075	5.7	175	1840	3160
56.1	57.1	1	0.688	64.4	13300	14650	79500
57.1	57.5	0.4	1.385	71.1	4370	20000	126500
57.5	58.6	1.1	0.159	15.4	1080	7190	14550
58.6	59.7	1.1	0.372	17.5	629	3120	11450
59.7	60.8	1.1	0.807	21.8	303	3200	8170
60.8	61.9	1.1	0.828	23.4	226	586	1505
61.9	63	1.1	0.672	25.9	200	446	893
63	64	1	0.879	89.1	1780	4720	11900
64	65	1	0.918	45.4	479	1020	2560
65	66	1	1.08	37.8	370	1260	2930
66	67	1	0.216	13.4	196	302	558
67	68	1	0.478	30.2	279	503	1400
68	69	1	0.429	41.9	548	425	1335
69	70	1	0.444	41.5	312	229	486

AHA-066 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
70	71	1	0.701	36.9	229	307	759
71	72	1	0.394	16.8	97	127	306
72	72.5	0.5	1.475	55.2	209	374	487
72.5	73.5	1	0.529	20.9	136	247	606
73.5	74.5	1	0.697	29.5	294	1150	559
74.5	75.5	1	0.729	20.4	95	179	279
75.5	76.5	1	0.972	21.6	83	233	361
76.5	77.2	0.7	0.745	15.9	63	152	332
77.2	78	0.8	0.73	20	88	225	453
78	79	1	0.974	35.5	243	420	966
79	80	1	0.681	18.9	74	352	1970
80	81	1	0.599	26.7	217	376	940
81	82	1	0.627	25.4	230	349	528
82	83	1	0.958	32.1	176	284	449
83	84	1	0.498	13.6	77	213	242
84	85	1	0.662	16.8	103	180	223
85	86	1	0.698	17.8	124	174	234
86	87	1	0.566	12.7	75	175	229
87	88	1	0.476	12.6	91	204	286
88	89	1	0.641	28.1	236	313	330
89	90	1	0.605	44.7	517	494	871
90	91	1	0.535	17	90	168	249
91	92	1	0.684	18.8	118	224	577
92	93	1	0.678	17.2	94	211	437
93	94	1	0.585	16.1	113	220	319
94	95	1	0.757	16.7	66	207	283
95	96	1	0.462	8	38	151	358
96	97.5	1.5	0.812	9.1	30	68	164
97.5	98.2	0.7	1.75	25	117	151	312
98.2	99.14	0.94	0.483	12.2	60	78	201
99.14	100	0.86	0.766	12.5	55	90	156
100	100.5	0.54	0.564	14.6	68	74	178
100.5	101.3	0.76	1.185	20.7	71	131	222
101.3	102.5	1.2	0.36	9.8	70	84	211
102.5	103.7	1.2	0.247	6.4	46	75	192
103.7	104.8	1.1	0.04	2.6	26	70	160
104.8	106	1.15	0.059	1.7	13	28	121
106	107	1.05	0.049	3.7	18	46	264

AHA-066 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
107	108.2	1.15	0.133	15.7	29	73	417
108.2	108.8	0.62	0.537	45.6	103	349	804
108.8	110	1.23	1.06	52.7	254	1435	4290
110	111.1	1.08	1.955	73.8	262	1900	4780
111.1	112	0.92	1.53	64.5	236	847	2450
112	113	1	1.835	66.8	433	2760	8090
113	114	1	2.11	76.9	585	2720	9560
114	115	1	1.45	46.9	295	1350	5750
115	116	1	2.53	67.3	490	3670	12150
116	117	1	1.645	51.2	334	1255	4090
117	118	1	1.35	51.8	740	4790	15050
118	119	1	1.605	49.1	271	1225	4840
119	120	1	1.11	33.4	157	711	1605
120	121	1	0.913	27.4	135	929	2080
121	122	1	1.31	43.9	325	1730	5080
122	123	1	1.095	39.6	319	1080	2540
123	124	1	0.599	19.7	222	485	3250
124	125	1	1.475	31.8	267	2280	3580
125	126	1	1.07	23.7	237	1010	1575
126	127	1	0.996	19.1	188	771	1205
127	128.3	1.28	1.26	26.9	182	383	663
128.3	129.1	0.77	0.107	8.8	73	102	538
129.1	130	0.95	0.075	7.2	56	71	371
130	131	1	0.012	6.2	48	45	349

AHA-068 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
1.2	2.2	1	0.164	1.6	297	685	1105
2.2	3.2	1	0.034	2.5	370	465	1945
3.2	4.26	1.06	0.038	3	317	679	1835
4.26	5.2	0.94	0.03	4.2	222	259	1180
5.2	6.5	1.3	0.054	3.7	347	1060	2020
6.5	7.5	1	0.08	8.6	1065	2650	2670
7.5	8.55	1.05	0.049	1.7	245	236	1485
8.55	8.9	0.35	0.199	2.1	417	310	10700
8.9	10.1	1.2	0.028	1.3	39	36	1745
10.1	11	0.9	0.092	2.2	51	90	1590
11	12.2	1.2	0.238	4.7	82	128	1385

AHA-068 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
12.2	13.3	1.1	0.329	4.9	210	56	4170
13.3	14.2	0.9	0.815	17.6	242	151	4010
14.2	15.2	1	0.527	21	147	162	1035
15.2	16.3	1.1	0.944	37.4	271	370	4240
16.3	17.3	1	1.615	31.9	426	389	7720
17.3	18.2	0.9	1.565	23.5	203	271	6420
18.2	19	0.8	1.005	22.8	162	215	5130
19	19.8	0.8	0.8	19.4	147	185	3760
19.8	20.4	0.6	0.64	13.8	112	153	3110
20.4	21.2	0.8	0.083	3.2	14	27	1115
21.2	21.8	0.6	0.781	16.1	115	170	1355
21.8	22.4	0.6	0.876	17.7	136	206	1435
22.4	23.3	0.9	0.713	15.2	98	149	1065
23.3	24.2	0.9	0.316	7.6	63	78	723
24.2	25	0.8	0.429	13.7	84	109	625
25	26.13	1.13	0.339	9.8	55	121	473
26.13	27	0.87	0.696	19.5	133	176	400
27	28	1	0.477	10.6	70	125	224
28	29	1	0.655	13.4	95	140	286
29	30	1	0.696	14.1	81	198	437
30	31	1	0.583	14.5	140	158	553
31	32	1	0.66	14.9	124	161	249
32	33	1	0.601	13	91	264	465
33	34	1	0.52	12	69	285	570
34	34.98	0.98	0.785	15.4	94	308	471
34.98	36	1.02	0.523	10.3	50	181	179
36	37	1	0.702	15.3	79	208	239
37	38	1	0.535	15.3	100	446	453
38	39	1	0.784	30.8	221	365	488
39	40	1	0.729	24.9	220	381	635
40	41	1	0.79	29.8	350	469	1055
41	42	1	1.115	39	310	610	1335
42	43	1	0.676	28.9	243	622	1090
43	44	1	0.69	23.7	169	435	1340
44	45.05	1.05	1.095	31	191	419	780
45.05	46	0.95	0.989	38.5	203	527	950
46	47	1	0.96	32.3	196	377	1650
47	48	1	1.33	51.8	243	1310	2260

AHA-068 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
48	49	1	1.225	37.2	254	1165	2610
49	50	1	1.405	47	404	1335	2870
50	51	1	0.726	19	93	189	299
51	52	1	0.916	25.2	151	256	324
52	53	1	0.765	20.9	130	271	853
53	54	1	1.01	24.9	88	253	449
54	55	1	0.356	11.7	47	87	141
55	56	1	1.21	34.2	106	148	189
56	57	1	0.985	34.8	72	399	847
57	58	1	3.47	86.2	156	733	1660
58	59	1	1.19	106	107	168	173
59	60	1	1.205	117	92	335	482
60	60.92	0.92	0.661	62.7	63	132	427
60.92	62	1.08	1.88	44.2	180	180	202
62	63	1	1.225	40	323	415	770
63	64	1	0.288	7.6	74	74	242
64	65	1	0.047	2	42	44	113
65	66	1	0.033	1.8	48	115	745
66	67	1	0.362	10.4	138	446	2030
67	68	1	0.904	24.1	184	871	1955
68	69	1	0.901	16.3	187	592	1095
69	69.8	0.8	1.74	20.3	389	1735	5620
69.8	71	1.2	1.135	18.5	390	1085	4230
71	72	1	0.855	14.4	182	545	1070
72	73	1	0.668	8.1	131	376	700
73	74	1	0.021	1.7	48	60	375
74	75	1	0.043	3.4	77	125	342
75	76	1	0.047	2.4	77	51	267

AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
0.5	1.2	0.7	0.0025	0.20	95	6	108
1.2	2	0.8	0.0025	0.20	96	9	142
2	3	1	0.0025	0.70	74	7	125
3	4	1	0.0025	0.10	82	6	128
4	5	1	0.0025	0.10	98	8	167
5	6	1	0.007	0.20	124	32	502
6	7	1	0.0025	0.20	106	17	787

AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
7	8	1	0.0025	0.10	62	17	144
8	9.05	1.05	0.0025	0.20	63	16	148
9.05	9.9	0.85	0.007	0.20	73	26	473
9.9	11.3	1.4	0.013	0.30	158	46	1045
11.3	12.2	0.9	0.009	0.50	429	202	3120
12.2	13.3	1.1	0.008	1.00	153	1020	1315
13.3	14.1	0.8	0.011	0.70	98	220	674
14.1	15	0.9	0.011	0.70	87	129	367
15	16	1	0.005	0.40	52	27	165
16	17	1	0.008	0.50	58	53	211
17	18.05	1.05	0.013	0.90	271	453	986
18.05	19.1	1.05	0.032	0.80	147	74	293
19.1	20	0.9	0.01	0.30	126	176	328
20	21	1	0.006	0.50	112	78	380
21	22	1	0.0025	0.40	101	90	324
22	22.8	0.8	0.0025	0.30	96	79	352
22.8	23.67	0.87	0.005	0.30	45	30	559
23.67	24.7	1.03	0.005	0.50	35	27	142
24.7	25.73	1.03	0.008	0.40	34	18	140
25.73	26.9	1.17	0.011	0.40	63	45	556
26.9	28	1.1	0.008	0.40	34	38	137
28	29	1	0.006	0.20	82	12	210
29	29.87	0.87	0.01	0.60	51	265	379
29.87	31	1.13	0.013	0.70	41	58	255
31	32.05	1.05	0.008	0.40	38	31	208
32.05	33	0.95	0.01	0.70	74	22	134
33	34	1	0.013	1.10	53	87	351
34	35	1	0.012	0.50	71	21	137
35	36.04	1.04	0.008	0.40	24	27	120
36.04	37	0.96	0.018	2.00	100	208	386
37	38	1	0.009	0.50	20	11	111
38	39.04	1.04	0.014	0.50	52	19	111
39.04	40	0.96	0.016	0.80	58	24	156
40	41	1	0.012	0.70	17	21	121
41	42	1	0.013	0.80	38	62	130
42	43	1	0.013	1.70	225	454	1215
43	44	1	0.02	3.50	226	225	540
44	45	1	0.008	0.60	57	13	127

AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
45	46	1	0.01	0.70	47	12	132
46	47	1	0.012	0.60	115	81	228
47	48	1	0.013	0.70	88	105	408
48	49	1	0.011	0.90	64	26	170
49	50	1	0.005	0.80	97	13	124
50	51	1	0.008	0.40	72	30	149
51	51.84	0.84	0.02	0.70	74	38	136
51.84	53	1.16	0.012	1.10	123	340	1685
53	54	1	0.011	0.80	20	27	125
54	55	1	0.01	0.70	19	18	83
55	56	1	0.014	1.00	53	21	111
56	57	1	0.011	1.30	39	30	121
57	58	1	0.015	0.80	46	24	125
58	59	1	0.03	1.50	87	168	324
59	59.9	0.9	0.027	4.30	29	83	190
59.9	60.98	1.08	0.029	3.40	181	326	325
60.98	62	1.02	0.016	1.30	107	96	191
62	63	1	0.016	1.00	30	55	152
63	64	1	0.017	0.90	32	84	139
64	65	1	0.014	1.10	34	198	165
65	66	1	0.014	1.70	80	172	752
66	67	1	0.012	1.60	38	55	120
67	68	1	0.019	3.70	182	283	456
68	69	1	0.018	1.60	71	119	192
69	70	1	0.025	1.80	62	365	861
70	71	1	0.031	2.50	89	511	903
71	72.02	1.02	0.054	7.50	381	2570	5040
72.02	73.02	1	0.017	2.50	89	379	366
73.02	74	0.98	0.007	1.00	80	18	131
74	75	1	0.02	2.00	92	166	339
75	76	1	0.009	1.50	37	28	109
76	77	1	0.005	1.00	65	19	111
77	78	1	0.012	1.60	55	28	104
78	79	1	0.006	1.30	44	27	113
79	80	1	0.014	2.50	44	49	135
80	81.85	1.85	0.013	2.40	434	957	1720
81.85	83	1.15	0.009	1.50	97	45	160
83	84.15	1.15	0.01	1.60	107	413	1160

AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
84.15	85.2	1.05	0.015	2.40	124	469	1525
85.2	86.3	1.1	0.03	5.40	212	358	720
86.3	87.41	1.11	0.025	3.10	107	181	320
87.41	88.6	1.19	0.148	13.70	1050	1310	2490
88.6	89.67	1.07	0.042	6.50	250	301	396
89.67	90.8	1.13	0.248	20.00	1170	1855	3130
90.8	91.86	1.06	0.018	1.60	59	28	126
91.86	92.92	1.06	0.014	1.90	70	31	118
92.92	94	1.08	0.008	1.80	225	61	195
94	95	1	0.01	2.90	91	55	177
95	96	1	0.049	10.80	141	201	651
96	97	1	0.035	4.00	52	72	521
97	98	1	0.011	2.20	75	282	300
98	99	1	0.015	3.10	270	249	425
99	100	1	0.122	12.20	154	236	969
100	101	1	0.037	7.10	203	421	2120
101	102	1	0.106	6.20	54	58	241
102	103	1	0.066	4.10	70	84	243
103	104	1	0.063	4.40	170	202	748
104	105	1	0.062	3.80	68	70	213
105	106.5	1.5	0.012	0.70	39	12	87
106.5	107	0.5	0.127	8.80	134	428	398
107	107.9	0.9	0.052	2.10	46	26	138
107.9	108.9	1.03	0.126	13.50	151	281	284
108.9	110	1.07	0.435	37.20	215	1970	2820
110	111	1	0.027	3.20	82	73	179
111	112	1	1.02	167.00	2660	6930	13400
112	113	1	0.072	9.20	199	437	2040
113	114	1	0.015	1.40	53	21	139
114	115	1	0.041	4.10	53	62	170
115	116	1	0.026	2.10	109	33	653
116	117	0.97	0.024	1.90	75	139	352
117	118	1.07	0.056	3.70	177	224	602
118	119.1	1.06	0.199	8.10	191	141	395
119.1	120.3	1.16	0.079	3.80	99	87	247
120.3	121.3	1.06	0.395	18.40	47	126	213
121.3	122.4	1.08	0.106	5.90	69	125	504
122.4	123.5	1.1	0.059	4.40	50	44	110

AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
123.5	124.6	1.1	0.027	2.70	32	27	171
124.6	125.7	1.1	3.94	163.00	224	849	2400
125.7	126.8	1.13	0.375	42.60	120	548	1625
126.8	128	1.12	0.035	3.60	54	37	109
128	129	1.05	0.008	0.90	62	25	125
129	130	1	0.083	3.50	75	190	459
130	131	1	1.29	31.60	93	120	372
131	132	1	0.014	3.60	103	81	237
132	133.1	1.07	0.1	97.50	82	136	194
133.1	134.1	1.03	0.1	19.8	92	205	694
134.1	135.1	1	0.03	3.1	129	168	361
135.1	136	0.9	0.082	4.6	263	331	929
136	137	1.04	0.029	0.7	105	138	341
137	138	0.96	0.03	1.3	116	57	314
138	139	1	0.037	1.8	103	175	424
139	140	1	0.013	0.9	118	59	867
140	141	1	0.012	1.6	408	478	648
141	142	1	0.034	16.5	414	602	1350
142	143	1	0.021	1.2	343	1340	2720
143	144	1	0.022	0.8	255	630	1240
144	145	1	0.024	1	264	380	1420
145	146	1	0.025	2.3	134	131	1255
146	147	1	0.027	0.8	69	98	443
147	148	1	0.019	0.9	161	311	3150
148	148.8	0.8	0.027	1.4	534	72	5470
148.8	149.9	1.1	0.011	0.6	73	45	637
149.9	150.9	1.04	0.012	0.4	30	42	583
150.9	151.8	0.86	0.024	1	192	225	868
151.8	152.8	1.03	0.027	1.2	96	67	505
152.8	153.9	1.07	0.029	1.2	125	51	346
153.9	155	1.1	0.025	1.1	79	44	302
155	156.1	1.06	0.028	1.1	141	51	1865
156.1	157.1	1.02	0.029	1.7	181	62	1040
157.1	158.1	1.02	0.016	0.3	53	40	1965
158.1	159.1	0.98	0.033	2.4	703	47	1950
159.1	160.2	1.07	0.038	0.5	20	46	1380
160.2	161.1	0.95	0.033	0.6	24	38	3160
161.1	162	0.9	0.073	1.5	26	41	967

AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
162	163	1	0.037	0.7	16	30	599
163	164	1	0.061	1.2	24	25	803
164	165	1	0.066	3.3	624	40	866
165	166	1	0.049	1.9	36	82	1205
166	167	1	0.083	3.4	379	303	1785
167	168	1	0.115	8.6	1940	913	17900
168	169	1	0.133	8.3	195	313	3350
169	170	1	0.083	4.5	536	484	1695
170	171	1	0.058	1.6	46	133	4200
171	172	1	0.05	1.4	48	89	418
172	173	1	0.053	1.2	31	67	280
173	174	1	0.071	1	22	69	391
174	175	1	0.042	0.5	20	64	583
175	176	1	0.051	0.8	31	73	282
176	177	1	0.09	1.6	58	82	1760
177	178	1	0.063	1.8	141	124	2800
178	179	1	0.098	2.4	177	129	4800
179	180	1	0.141	6.1	386	163	3730
180	181	1	0.311	14.1	806	1520	8210
181	182	1	0.668	26.8	906	2000	10750
182	183	1	0.38	13.1	251	297	2680
183	184	1	0.208	7.3	163	167	2660
184	185	1	0.076	3.6	125	141	936
185	186	1.04	0.107	3.6	64	80	955
186	187.2	1.11	0.248	11	331	74	3510
187.2	188.3	1.15	0.112	3.9	50	78	887
188.3	189.4	1.13	0.182	3.7	117	60	3540
189.4	190.5	1.07	0.25	5.3	83	94	3770
190.5	191.6	1.1	0.175	3.7	78	73	6710
191.6	192.6	1.03	0.18	3.4	260	170	4310
192.6	193.6	0.97	0.128	2.6	80	97	2200
193.6	194.6	1.02	0.158	3.6	52	77	3380
194.6	195.7	1.08	0.111	2.7	46	63	3010
195.7	196.7	1	0.528	15.9	391	2490	7400
196.7	197.8	1.12	0.312	12	650	1460	7270
197.8	198.9	1.04	0.337	14.9	696	1040	8400
198.9	200	1.1	0.908	40.9	1480	1570	4920
200	201	1.04	0.551	51.1	874	698	2880

AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
201	202	1	0.235	17.9	1360	357	4380
202	203	1	0.155	13.1	348	139	2950
203	204	1.04	0.085	8.6	129	268	2560
204	205	1	0.294	24.3	289	275	5090
205	206	0.96	1.06	50.1	2360	4540	9380
206	207	1	0.868	32.1	259	1270	3070
207	208	1	1.145	42.1	553	1280	3780
208	209	1	0.611	25.1	304	493	2580
209	210	1	0.514	19.9	279	469	2160
210	211	1	0.622	26.1	353	621	1810
211	212	1	1.975	49	534	1160	4450
212	213	1.04	1.475	51.6	1095	2000	8120
213	214.1	1.02	0.875	29.1	497	470	4060
214.1	215.2	1.12	0.779	42.7	2170	216	18950
221.2	222	0.83	0.357	14	920	200	8780
222	223	1	0.291	10.3	184	562	3020
223	224	1	0.428	15.6	278	563	1550
224	225	1.03	0.398	37.3	778	831	5550
225	226	0.97	0.921	36.9	256	1410	2470
226	227	1	0.234	7.2	51	177	322
227	228	1	1.525	41.8	535	2040	5480
228	229.1	1.05	1.665	53.7	289	2230	3080
229.1	230	0.95	1.805	61.6	760	1670	3860
230	231	1	1.035	36.8	304	1930	1550
231	232	1	1.57	33	111	519	513
232	233	1	1.415	38.6	111	291	159
233	234	0.97	2.57	56	227	491	481
234	235	1.03	0.457	22.7	73	192	305
235	236	1	0.626	13.4	39	116	83
236	237	1	0.194	6.7	33	105	147
237	238	1	0.177	6.5	47	139	170
238	239	1.01	0.145	5.5	39	69	114
239	240	0.99	0.242	12	63	557	329
240	241	0.98	0.487	18.2	71	240	186
241	242	1.03	0.716	19.7	84	378	329
242	242.7	0.64	0.529	19.9	110	290	417
242.7	243.7	1.09	0.251	8.5	41	302	221
243.7	244.8	1.06	0.209	10.3	92	343	150



AHA-072 ASSAY RESULTS							
From	To	Interval	Au g/t	Ag g/t	Cu ppm	Pb ppm	Zn ppm
244.8	245.8	1.02	0.353	7.1	100	67	141
245.8	246.9	1.08	0.385	7.3	102	162	169
246.9	247.7	0.77	2.03	18.6	167	107	192
247.7	248.6	0.93	0.058	1.1	48	27	158